

RAW SEQUENCE LISTING ERROR REPORT

RECEIVED
NOV 08 2003
BIO TECHNOLOGY
SYSTEMS
BRANCH
TECH CENTER 1600/2500



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:

Source:

Date Processed by STIC:

09/318,870B
1600
10/29/2003

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry directly to (EFFECTIVE 12/01/2003):
U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/2003



1600

RAW SEQUENCE LISTING

DATE: 10/29/2003

PATENT APPLICATION: US/09/318,870B

TIME: 12:44:44

Input Set : A:\sequencelist.txt

Output Set: N:\CRF4\10292003\I318870B.raw

3 <110> APPLICANT: Genitrix, LLC
 5 <120> TITLE OF INVENTION: Cytokine Coated Cells and Methods of Modulating an Immune
 Response
 7 <130> FILE REFERENCE: 11111-1210
 9 <140> CURRENT APPLICATION NUMBER: 09/318,870B
 10 <141> CURRENT FILING DATE: 1999-05-26
 12 <150> PRIOR APPLICATION NUMBER: US 60/086,780
 13 <151> PRIOR FILING DATE: 1998-05-28
 E--> 15 <160> NUMBER OF SEQ ID NOS 15 / 16 (see below)
 17 <170> SOFTWARE: PatentIn version 3.0

ERRORED SEQUENCES

204 <210> SEQ ID NO: 16 *last sequence in submitted file*
 205 <211> LENGTH: 5
 E--> 206 <212> TYPE: Protein *invalid use PRT*
 207 <213> ORGANISM: Homo Sapiens
 209 <220> FEATURE:
 W--> 210 <221> NAME/KEY: Misc Feature
 211 <222> LOCATION: (3)...(3)
 212 <223> OTHER INFORMATION: Xaa is any amino acid
 214 <400> SEQUENCE: 16
 215 Trp Ser Xaa Trp Ser
 216 5

Does Not Comply
 Corrected Diskette Needed

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 10/29/2003
PATENT APPLICATION: US/09/318,870B TIME: 12:44:45

Input Set : A:\sequencelist.txt
Output Set: N:\CRF4\10292003\I318870B.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:2,3,4,5,6,7,8,9,10,11,12,13,14,15

VERIFICATION SUMMARY

DATE: 10/29/2003

PATENT APPLICATION: US/09/318,870B

TIME: 12:44:45

Input Set : A:\sequencelist.txt

Output Set: N:\CRF4\10292003\I318870B.raw

L:206 M:310 E: (3) Wrong or Missing Sequence Type, TYPE:

L:210 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:16

L:15 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (15) Counted (16)